
VERNON
RUVAL
LINE

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 401

CONTAINER NO. B21 SEX ♀ AGE ad ? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE MAR 20 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 27.0 °C

SOIL SURFACE TEMP 43.6 °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a post

Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code2sceloporuso00mayh_1

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 402

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE MAR 21 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.4 °C AIR TEMP(1 cm) 19.6 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 403

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE MAR 21 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.4 °C AIR TEMP(1 cm) 19.6 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 33.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on watering trough — adult ♀ captured here 3/13/61. ♂ escaped at that time. Thought to be a pair. (Her # is 385)

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 404

CONTAINER NO. B36 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 58

DATE MAR 21 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 17.4 °C AIR TEMP(1 cm) 19.6 °C

SOIL SURFACE TEMP 32.0 °C CLOACAL TEMP 35.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 405

CONTAINER NO. R7 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAR 21 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1120 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP 34.0 °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 406

CONTAINER NO. B63 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE MAR 21 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1207 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP 34.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 2 FEET

REMARKS: in sun on rock, On same rock (about 6 feet away) as adult ♂ Sceloporus orcutti.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 407

CONTAINER NO. B63 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE MAR 21 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP 34.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 12 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 408

CONTAINER NO. B63 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 61

DATE MAR 21 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP 34.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in shade on a rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 409

CONTAINER NO. B33 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAR 21 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 20.0 °C AIR TEMP(1 cm) 22.2 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP 34.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in broken shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 410

CONTAINER NO. B53 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE MAR 23 1961 SPEEDOMETER

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1025 CLOUDS(% overcast) ~~000~~ 95

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 14.4 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP 33.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT Coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on the ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 411

CONTAINER NO. B17 SEX ♂ AGE ad. TOE CLIP# 1 & 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE MAR 23 1981 SPEEDOMETER _____

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1035 CLOUDS(% overcast) 95

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 14.4 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP 33.0 °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 412

CONTAINER NO. B63 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE MAR 23 [illegible] SPEEDOMETER _____

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1042 CLOUDS(% overcast) 95

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 14.4 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP 33.0 °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 413

CONTAINER NO. B63 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE MAR 23 1961 SPEEDOMETER

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 95

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 14.4 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP 33.0 °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a rock

SPECIES *Sceloporus occidentalis* TAG NO. 414

CONTAINER NO. B56 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE MAR 23 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1520 CLOUDS(% overcast) 0 (thick haze)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION W ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 16.8 °C AIR TEMP(1 cm) 20.4 °C

SOIL SURFACE TEMP 22.8 °C CLOACAL TEMP 26.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in shade on woodpile

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 415

CONTAINER NO. B21 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE MAR 23 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1525 CLOUDS(% overcast) 0 (thick haze)

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION W ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 16.8 °C AIR TEMP(1 cm) 20.4 °C

SOIL SURFACE TEMP 22.8 °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 6 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 416

CONTAINER NO. B56 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAR 23 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1530 CLOUDS(% overcast) 0 (thick haze)

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION W ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 16.8 °C AIR TEMP(1 cm) 20.4 °C

SOIL SURFACE TEMP 22.8 °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 5 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 417

CONTAINER NO. B24 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) >70

DATE MAR 23 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1550 CLOUDS(% overcast) 0 (thick haze)

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION W ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 16.8 °C AIR TEMP(1 cm) 20.4 °C

SOIL SURFACE TEMP 22.8 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 418

CONTAINER NO. R14 SEX ♂ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE MAR 29 1961 SPEEDOMETER _____

LOCALITY 2 mi. S of UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1100 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.8 °C AIR TEMP(1 cm) 19.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP 27.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 6 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 419

CONTAINER NO. R14 SEX ♂ AGE ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE MAR 29 1961 SPEEDOMETER _____

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1125 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.8 °C AIR TEMP(1 cm) 19.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP 27.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 420

CONTAINER NO. R48 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE MAR 29 1961 SPEEDOMETER _____

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.8 °C AIR TEMP(1 cm) 19.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP 27.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 421

CONTAINER NO. 854 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE MAR 29 1961 SPEEDOMETER _____

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1155 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.8 °C AIR TEMP(1 cm) 19.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.8 °C

ROCK SURFACE TEMP 27.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on a rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 422

CONTAINER NO. B17 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 60

DATE MAR 29 1961 SPEEDOMETER _____

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1325 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.W. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.8 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP 34.4 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 423

CONTAINER NO. B35 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gr.) _____ SNOUT-VENT LENGTH(mm) 70

DATE MAR 29 1961 SPEEDOMETER _____

LOCALITY 2 mi. S. of UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1340 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.8 °C AIR TEMP(1 cm) 25.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP 34.4 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. H24

CONTAINER NO. — SEX ♀ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE March 26, 1961 SPEEDOMETER _____

LOCALITY 5 mi. S. of Visalia

COUNTY ~~RIVERSIDE~~ Tulare CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT yard

CHASE _____ FEET

REMARKS: under a woodpile. Caught by Ray Hamilton.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 425

CONTAINER NO. — SEX ♀ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE Mar. 26, 1961 SPEEDOMETER _____

LOCALITY 5 mi. S. of Visalia

COUNTY Tulare CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT yard

CHASE _____ FEET

REMARKS: under a woodpile. Caught by Ray Hamilton.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 426

CONTAINER NO. ____ SEX ____ AGE ad. TOE CLIP # ____

WEIGHT(gms) ____ SNOUT-VENT LENGTH(mm) 77

DATE Mar. 26, 1961 SPEEDOMETER ____

LOCALITY 5 mi. S. of Visalia

COUNTY ~~RIVERSIDE~~ Tulare CALIF.

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____ °C

AIR TEMP(30 in) ____ °C AIR TEMP(1 cm) ____ °C

SOIL SURFACE TEMP ____ °C CLOACAL TEMP ____ °C

ROCK SURFACE TEMP ____ °C SUBSTRATE TEMP ____ °C

HABITAT yard

CHASE ____ FEET

REMARKS: under a woodpile. Caught by Ray Hamilton.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 427

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE April 1, 1961 SPEEDOMETER

LOCALITY 9 mi. S. of Modesto

COUNTY ~~RIVERSIDE~~ Stanislaus CALIF.

STANDARD TIME 1640 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft.) 100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 23.3 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT garden

CHASE 0 FEET

REMARKS: under a dog house

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 428

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# 73

WEIGHT(gms) 11.4 SNOUT-VENT LENGTH(mm) 71

DATE April 1, 1961 SPEEDOMETER _____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1400-1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AAIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT riparian (Santa Ana River)

CHASE _____ FEET

REMARKS: on dead tree, Caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 429

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# 74

WEIGHT(gms) 12.2 SNOUT-VENT LENGTH(mm) 69

DATE APR 1 1961 SPEEDOMETER _____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1400-1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT riparian

CHASE _____ FEET

REMARKS: on dead tree. Caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 430

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# 79

WEIGHT(gms) 8.0 SNOUT-VENT LENGTH(mm) 61

DATE APR 1 1961 SPEEDOMETER

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400-1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT riparian

CHASE FEET

REMARKS: Caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 431

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP# 86

WEIGHT(gms) 14.7 SNOUT-VENT LENGTH(mm) 72

DATE APR 1 1961 SPEEDOMETER

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 - 1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT riparian

CHASE FEET

REMARKS: Caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 432

CONTAINER NO. — SEX ♂ AGE ad? TOE CLIP# 78

WEIGHT(gms) 5.8 SNOUT-VENT LENGTH(mm) 59

DATE APR 1 1961 SPEEDOMETER

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1400-1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32-2 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT riparian

CHASE FEET

REMARKS: Caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 433

CONTAINER NO. — SEX ♀ AGE ad? TOE CLIP# 77

WEIGHT(gms) 5.4 SNOUT-VENT LENGTH(mm) 57

DATE APR 1 1961 SPEEDOMETER _____

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1400-1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT riparian

CHASE _____ FEET

REMARKS: Caught by Dick Sather.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 434

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# 89

WEIGHT(gms) 2.0 SNOUT-VENT LENGTH(mm) 41

DATE APR 1 1961 SPEEDOMETER

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400-1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32-2 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT riparian

CHASE FEET

REMARKS: Caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 435

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# 87

WEIGHT(gms) 5.8 SNOUT-VENT LENGTH(mm) 52

DATE APR 1 1961 SPEEDOMETER

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 - 1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT riparian

CHASE FEET

REMARKS: Caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 436

CONTAINER NO. — SEX ♀ AGE juv. TOE CLIP# 88

WEIGHT(gms) 4.7 SNOUT-VENT LENGTH(mm) 57

DATE APR 1 1961 SPEEDOMETER

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400-1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT riparian

CHASE FEET

REMARKS: Caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 437

CONTAINER NO. — SEX ♂ AGE juv. TOE CLIP# 75

WEIGHT(g s) 2.6 SNOUT-VENT LENGTH(mm) 41

DATE APR 1 1961 SPEEDOMETER

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1400-1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT riparian

CHASE FEET

REMARKS: Caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 438

CONTAINER NO. — SEX ♂ AGE juv. TOE CLIP# 76

WEIGHT(gms) 3.7 SNOUT-VENT LENGTH(mm) 50

DATE APR 1 1961 SPEEDOMETER

LOCALITY Rubidoux

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1400 - 1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft.) 780

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT riparian

CHASE FEET

REMARKS: Caught by Dick Sather

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 439

CONTAINER NO. B62 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE APR 11 1961 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1015 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 17.4 °C AIR TEMP(1 cm) 20.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP 32.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 3 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 440

CONTAINER NO. B19 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE APR 11 1961 SPEEDOMETER

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 441

CONTAINER NO. R16 SEX ♀ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE APR 11 1961 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1135 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 6 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 442

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE APR 11 1961 SPEEDOMETER

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1155 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 22.8 °C AIR TEMP(1 cm) 25.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.6 °C

ROCK SURFACE TEMP 40.0 °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 100 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 443

CONTAINER NO. R42 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE APR 11 1971 SPEEDOMETER _____

LOCALITY Mt. Rubidoux

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1355 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 1900

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 26.6 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.4 °C

ROCK SURFACE TEMP 44.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 444

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE April 6, 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE _____ FEET

REMARKS: caught by Gene Roller

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 445

CONTAINER NO. B58 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE April 24, 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1530 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: near garden by CES Director's house.

SPECIES SCELOPORUS OCCIDENTALIS TAG. NO. 446

CONTAINER NO. R14 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE APR 27 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 23.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP 28.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 15 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 447

CONTAINER NO. R14 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE APR 27 1981 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 23.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP 28.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 3 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 448

CONTAINER NO. R14 SEX ♂ AGE ad ? TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE APR 27 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1045 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) 23.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP 28.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: broken shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 449

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE APR 27 1981 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.4 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP 36.5 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 10 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 450

CONTAINER NO. B23 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE APR 29 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 33.0 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 451

CONTAINER NO. B 23 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 61

DATE ~~RIVERSIDE~~ APR 29 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 33.0 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 452

CONTAINER NO. R9 SEX ♂ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE APR 29 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 33.0 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 453

CONTAINER NO. R9 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE APR 29 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1100 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 30.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 33.0 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
12.5 x 6.8 mm.	10.8 x 7.5 mm.
12.2 x 6.8 "	11.4 x 7.5 "
12.0 x 5.7 "	12.0 x 8.6 "
	10.2 x 6.3 "
	12.0 x 6.8 "
	10.8 x 6.5 "
	11.7 x 7.7 "

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 454

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE May 12, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: caught by Ray Hamilton

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 455

CONTAINER NO. Y10 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE May 16, 1961 SPEEDOMETER _____

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME 0955 CLOUDS(% overcast) 10

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 15.4 °C AIR TEMP(1 cm) 19.6 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP 27.0 °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE 0 FEET

REMARKS: in sun beside rock (S. orcutti on rock)

SPECIES [redacted] TAG NO. 456

CONTAINER NO. Y10 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE May 16, 1961 SPEEDOMETER

LOCALITY UCR

COUNTY Riverside CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 19.0 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE 15 FEET

REMARKS: in sun on rock

Left oviduct	Right oviduct
11.7 x 8.3 mm.	11.7 x 8.0 mm.
12.2 x 7.2 "	12.2 x 7.2 "
10.8 x 7.5 "	10.8 x 7.7 "
10.2 x 7.8 "	11.1 x 7.7 "
10.8 x 8.1 "	11.3 x 7.4 "

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 457

CONTAINER NO. B54 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE May 20, 1961 SPEEDOMETER _____

LOCALITY Pinyon Flats

COUNTY Riverside CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 4000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT PINYON-JUNIPER WOODLAND

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 458

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 58

DATE May 21, 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

Dead on arrival at UCR

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 459

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE May 21, 1961 SPEEDOMETER _____

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY Riverside CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT chaparral

CHASE _____ FEET

REMARKS: caught by field zool. class

Dead on arrival at UCR

Left oviduct	Right oviduct
15.0 X 8.2 mm.	13.4 x 8.3 mm.
12.0 X 7.5 "	13.0 x 8.4 "
13.7 X 7.9 "	13.5 x 8.1 "
13.0 X 8.0 "	14.0 x 8.4 "
can't measure	

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 460

CONTAINER NO. 03 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 21 1961 SPEEDOMETER

LOCALITY Fern Basin Campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 6000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 461

CONTAINER NO. 013 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 462

CONTAINER NO. R24 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE MAY 21 1981 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 463

CONTAINER NO. R24 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 464

CONTAINER NO. 1/2 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 465

CONTAINER NO. Y2 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE MAY 21 1961 SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 466

CONTAINER NO. Y2 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE MAY 21 196[illegible] SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 467

CONTAINER NO. 12 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 21 1961 SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
13.6 X 7.8 mm.	13.0 x 7.3 mm.
14.7 x 7.7 "	13.3 x 7.5 "
14.1 x 8.2 "	13.9 x 7.3 "
14.0 x 7.3 "	13.4 x 7.1 "
	13.7 x 7.7 "

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 468

CONTAINER NO. Y5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 21 1961 SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 469

CONTAINER NO. Y5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor-

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 470

CONTAINER NO. Y5 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE MAY 21 1961 SPEEDOMETER _____

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CHAPARRAL

CHASE _____ FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
12.6 X 7.8 mm.	12.6 X 7.3 mm.
12.0 X 7.4 "	12.0 X 7.9 "
12.0 X 8.1 "	11.4 X 6.9 "
13.1 X 6.6 "	11.5 X 7.4 "
12.3 X 7.5 "	11.7 X 6.6 "
12.0 X 7.0 "	11.9 X 7.0 "
11.8 X 6.7 "	11.6 X 7.3 "

Blastodiscs in all eggs: I measured 7.5 X 6.2 mm.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 471

CONTAINER NO. R8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 472

CONTAINER NO. R8 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 21 1951 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
13.5 x 8.7 mm.	12.8 x 8.3 mm.
12.8 x 8.4 "	12.9 x 7.3 "
12.9 x 7.7 "	12.6 x 8.3 "
12.8 x 8.4 "	12.2 x 7.7 "
14.3 x 8.7 "	13.5 x 7.5 "

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 473

CONTAINER NO. R8 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
12.3 X 8.7 mm.	12.5 X 7.8 mm.
12.2 X 8.4 "	12.8 X 8.6 "
12.6 X 8.0 "	12.0 X 8.0 "
12.3 X 8.3 "	12.3 X 8.0 "
12.5 X 7.7 "	11.7 X 7.5 "
12.0 X 7.8 "	12.6 X 8.0 "
12.3 X 7.8 "	

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 474

CONTAINER NO. Y13 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
X broken	X
X	X
X	X
X	X
X	X
	X

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 475

CONTAINER NO. 413 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE MAY 21, 1961 SPEEDOMETER _____

LOCALITY 1/2 M S. OF LAKE FULMOR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CHAPARRAL

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 476

CONTAINER NO. Y13 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS:

LEFT OVIDUCT	RIGHT OVIDUCT
1. ~~60~~ 9.0 × ~~50~~ 7.5	1. 12.8 × 8.1
2. ~~90~~ 13.5 × ~~57~~ 8.6	2. 13.2 × 8.3
3. 13.5 × 8.6	3. 12.6 × 7.5
4. 11.7 × 7.8	4. 12.5 × 8.0
5. 13.1 × 8.6	5. 12.8 × 7.5
6. 12.9 × 8.0	6. 12.0 × 8.0

caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 477

CONTAINER NO. R20 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE MAY 21 [illegible] SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 478

CONTAINER NO. 011 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 86

DATE MAY 21 1961 SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 479

CONTAINER NO. Y13 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS:

LEFT OVIDUCT	RIGHT OVIDUCT
1. 13.8 x 7.7	1. 13.1 x 7.5
2. 14.1 x 7.8	2. 13.1 x 8.0
3. 14.3 x 7.5	3. 13.5 x 7.1
4. 13.4 x 6.5	4 12.0 x 7.8
	5. 14.0 x 7.2

caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 480

CONTAINER NO. 011 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: LEFT OVIDUCT RIGHT OVIDUCT

LEFT OVIDUCT	RIGHT OVIDUCT
1. 8.3 x 8.3	1. 11.9 x 8.3
2. 9.6 x 8.6	2. 11.6 x 7.5
3. 12.5 x 8.3	3. 12.3 x 8.7
4. 12.0 x 8.3	4. 10.5 x 7.4
5. 12.6 x 8.0	5. 11.3 x 8.1
6. 11.7 x 8.1	6 11.3 x 6.8

APPEARS TO HAVE JUST OVULATED!
Caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 481

CONTAINER NO. R 33 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: LEFT OVIDUCT. RIGHT OVIDUCT

1. 12.3 x 7.5	1. 13.5 x 7.1
2. 13.5 x 8.3	2. 8.1 x 12.9
3. 13.1 x 8.0	3. 12.5 x 11.1
4. 12.0 x 7.5	4. 13.5 x 8.4

caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 482

CONTAINER NO. R33 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 21 1961 SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: LEFT OVIDUCT RIGHT OVIDUCT.

1. 12.8 × 7.1	1. 14.3 × 7.7
2. 13.7 × 8.3	2. 13.8 × 7.5
3. 13.2 × 7.7	3. 15.0 × 8.0
4. 14.7 × 8.0	4. 13.1 × 7.8
5. 14.1 × 6.3	5 13.5 × 8.0

caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 483

CONTAINER NO. R33 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 484

CONTAINER NO. 05 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE MAY 21 1961 SPEEDOMETER _____

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CHAPARRAL

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 485

CONTAINER NO. 05 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 21 1961 SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 486

CONTAINER NO. 05 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 85

DATE MAY 21 1961 SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 487

CONTAINER NO. 05 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 488

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE MAY 21 1961 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 489

CONTAINER NO. R5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE MAY 21 [illegible] SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 490

CONTAINER NO. R5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 21 1971 SPEEDOMETER

LOCALITY ½ mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

LEFT OVIDUCT	RIGHT OVIDUCT
1. 13.5 x 7.8	1. 14.3 x 6.8
2. 13.5 x 7.4	2. 15.0 x 8.7
3. 13.1 x 6.5	3. 13.5 x 7.2
4. 14.0 x 8.0	4. 12.5 x 7.7
	5. 13.8 x 8.3

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 491

CONTAINER NO. 013 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 95

DATE MAY 25 1961 SPEEDOMETER

LOCALITY 4 mi. N. W. of Sunnymead

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 70

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION N.E. ALTITUDE(ft) 2850

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 21.8 °C AIR TEMP(1 cm) 27.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 35.2 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 492

CONTAINER NO. B61 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE MAY 25 1961 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 70

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1200

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: caught by Ray Hamilton

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 493

CONTAINER NO. B 40 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE JUN 21 1961 SPEEDOMETER

LOCALITY 4 mi. N.W. of Sunnymead

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 494

CONTAINER NO. W3 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUN 22 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0945 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft)

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 495

CONTAINER NO. R27 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE JUN 23 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0815 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT ~~CREOSOTE BUSH SCRUB~~ coastal sage scrub

CHASE FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 496

CONTAINER NO. Y8 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE JUN 23 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0830 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT ~~CREOSOTE BUSH SCRUB~~ coastal sage scrub

CHASE _____ FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 497

CONTAINER NO. W8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE June 23, 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY Riverside CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT coastal sage scrub

CHASE FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 498

CONTAINER NO. W8 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE June 23, 1961 SPEEDOMETER _____

LOCALITY Val Verde

COUNTY Riverside CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT coastal sage scrub

CHASE _____ FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 499

CONTAINER NO. W8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE JUN 23 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 1700

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT ~~CREOSOTE BUSH SCRUB~~ Coastal Sage scrub

CHASE FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 500

CONTAINER NO. B37 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 54

DATE JUN 26 1961 SPEEDOMETER

LOCALITY 3 mi. W. of Perris

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP 46.0 °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE 3 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 501

CONTAINER NO. B81 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE SEP 26 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1200-1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1800

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 32.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 29.2 °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in shade on a rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 502

CONTAINER NO. R5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE SEP 26 1961 SPEEDOMETER

LOCALITY Val Verde

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1200-1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 1800

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 35.0 °C AIR TEMP(1 cm) 32.8 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 29.2 °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: in shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 503

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE MAR 28 1962 SPEEDOMETER _____

LOCALITY San Diego

COUNTY San Diego CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: Donated by Don Hunsaker. No other data available.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 504

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE MAR 28 1962 SPEEDOMETER _____

LOCALITY San Diego

COUNTY San Diego CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

R TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: Donated by Don Hunsaker. No other data available.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 505

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 81

DATE APR 21 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

R TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 506

CONTAINER NO. B18 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE April 21, 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

R TEMP(30 in) 12.5 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 507

CONTAINER NO. R 21 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE APR 21 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1540 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) 12.5 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: in sun on rock. Ran into crevice, so no temp.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 508

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE APR 21 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1610 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

R TEMP(30 in) 12.5 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 509

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE APR 21 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1610 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NE ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) 12.5 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 510

CONTAINER NO. R21 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE APR 21 1962 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1650 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NE ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 12.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 511

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE APR 21 1962 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 512

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE APR 30 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 0 FEET

REMARKS: shade on rock

Left oviduct	Right oviduct
9.8 X 8.3 mm.	10.5 X 8.6 mm.
11.0 X 7.7 "	11.3 X 7.5 "
10.8 X 8.0 "	11.0 X 7.2 "
10.8 X 8.1 "	11.3 X 7.4 "
	10.5 X 6.8 "
	10.4 X 6.5 "
	10.8 X 7.4 "

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 513

CONTAINER NO. 01 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE APR 30 1962 SPEEDOMETER

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT COASTAL SAGE SCRUB

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 514

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE APR 30 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1310 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 515

CONTAINER NO. - SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE APR 30 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1340 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 2 FEET

REMARKS: broken shade on post

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 516

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE APR 30 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1430 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 517

CONTAINER NO. – SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE APR 30 1962 SPEEDOMETER _____

LOCALITY UCR

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT COASTAL SAGE SCRUB

CHASE 4 FEET

REMARKS: in sun on post

5 eggs each oviduct; 5 corpora lutea each ovary.

Left oviduct measurements:

12.9 X 7.8 mm.

12.6 X 7.5 "

11.7 X 8.3 "

12.3 X 8.0 "

12.0 X 7.5 "

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 518

CONTAINER NO. RS SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Wrightwood

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 6100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 30.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on pole

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 519

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Big Pines

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 6350

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on pole

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 520

CONTAINER NO. R48 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME [redacted] 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 6 FEET

REMARKS: in sun on ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 521

CONTAINER NO. B76 SEX f AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 522

CONTAINER NO. R18 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 3 FEET

REMARKS: in sun on ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 523

CONTAINER NO. R18 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE / FEET

REMARKS: in sun on ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 524

CONTAINER NO. R22 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE MAY 1 1962 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: defending its territory against another ♂

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 525

CONTAINER NO. R22 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE FEET

REMARKS: being chased by another ♂ that was apparently defending its territory.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 526

CONTAINER NO. R18 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1300 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 3 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 527

CONTAINER NO. B74 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in shade of bush

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 528

CONTAINER NO. Y8 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE MAY 1 1962 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1315 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: in sun on ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 529

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1305 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 530

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE MAY 1 1962 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 531

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE MAY 1 1962 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 532

CONTAINER NO. Y8 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE MAY 1 1962 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1405 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 533

CONTAINER NO. R48 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 534

CONTAINER NO. R26 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1615 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 535

CONTAINER NO. R26 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1605 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on trunk of pine

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 536

CONTAINER NO. R26 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1520 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in broken shade of bush

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. [redacted] 537

CONTAINER NO. R 20 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1318 CLOUDS(% overcast) 0

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 538

CONTAINER NO. R26 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1525 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in shade on trunk of pine tree

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 539

CONTAINER NO. Y 11 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1610 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on trunk of pine tree.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 540

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE MAY 1 1962 SPEEDOMETER _____

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE _____ FEET

REMARKS: _____

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 541

CONTAINER NO. R46 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 33.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 542

CONTAINER NO. R46 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 543

CONTAINER NO. R46 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 544

CONTAINER NO. R20 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1318 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 545

CONTAINER NO. R 20 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 3 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 546

CONTAINER NO. R17 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE MAY 1 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE FEET

REMARKS:

SPECIES *Sceloporus occidentalis* TAG NO. *547*

CONTAINER NO. *R5* SEX *♂* AGE *ad* TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *80*

DATE *May 4, 1962* SPEEDOMETER _____

LOCALITY *Hesperia*

COUNTY *San Bernardino* CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) *0*

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION *0* ALTITUDE(ft) *3190*

WIND VELOCITY(mi/hr) *0* ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *Joshua tree woodland*

CHASE _____ FEET

REMARKS: *caught by field zool. class*

DOA

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 548

CONTAINER NO. B74 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 549

CONTAINER NO. B74 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE MAY 4 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE _____ FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
12.3 x 7.5 mm	12.8 x 7.5 mm.
12.8 x 6.8 "	12.0 x 7.1 "
12.5 x 6.8 "	12.0 x 7.2 "
13.5 x 7.8 "	12.8 x 7.7 "
	12.2 x 7.8 "
5 corpora lutea	12.5 x 7.5 "
	5 corpora lutea

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 550

CONTAINER NO. RS SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: in sun on Joshua tree trunk
caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 551

CONTAINER NO. RS SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1353 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

SOIL TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 552

CONTAINER NO. R5 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1352 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 553

CONTAINER NO. RS SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 554

CONTAINER NO. RS SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE MAY 4 1962 SPEEDOMETER _____

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT JOSHUA TREE WOODLAND

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 555

CONTAINER NO. RS SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

SOIL TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 556

CONTAINER NO. R5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1350 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
13.8 x 8.3 mm.	13.1 x 7.8 mm
13.4 x 7.5 "	12.5 x 7.2 "
13.5 x 7.8 "	13.7 x 8.4 "
12.8 x 7.4 "	12.9 x 8.1 "
4 corpora lutea	12.9 x 7.4 "
	5 corpora lutea

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 557

CONTAINER NO. R5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE MAY 4 1962 SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
11.7 X 6.8 mm	14.0 X 7.1 mm
13.4 x 7.2 "	14.1 x 6.5 "
12.5 x 7.8 "	13.7 x 7.8 "
12.6 x 7.5 "	
12.0 x 8.3 "	4 corpora lutea
4 corpora lutea	

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 558

CONTAINER NO. R5 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE SPEEDOMETER

LOCALITY Hesperia

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3190

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT JOSHUA TREE WOODLAND

CHASE FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
12.5 x 9.0 mm.	13.5 x 8.3 mm.
13.5 x 8.7 "	13.2 x 9.0 "
13.1 x 8.7 "	13.8 x 8.3 "
13.5 x 8.0 "	14.3 x 8.6 "
13.7 x 7.8 "	13.5 x 8.9 "
4 corpora lutea	6 corpora lutea

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 559

CONTAINER NO. R44 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE MAY 18 1962 SPEEDOMETER

LOCALITY Bautista Canyon

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1400 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 2450

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 560

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE MAY 18 1962 SPEEDOMETER

LOCALITY Bautista Canyon

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1600 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

R TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 561

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 18 1962 SPEEDOMETER

LOCALITY Bautista Canyon

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1600 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 562

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 18 1962 SPEEDOMETER

LOCALITY Bautista Canyon

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1630 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 563

CONTAINER NO. R8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE MAY 20 1962 SPEEDOMETER

LOCALITY 7 mi. N. of Idyllwild

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1145 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 5350

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 31.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in open on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 564

CONTAINER NO. R8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE MAY 20 1962 SPEEDOMETER

LOCALITY 7 mi. N. of Idyllwild

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 5350

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 565

CONTAINER NO. R8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE MAY 20 1962 SPEEDOMETER

LOCALITY 7 mi. N. of Idyllwild

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1200 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 5350

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE FEET

REMARKS:

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 566

CONTAINER NO. R37 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE MAY 20 1962 SPEEDOMETER _____

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 100

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CHAPARRAL

CHASE _____ FEET

REMARKS: caught by field zool. class

Left oviduct	Right oviduct
11.8 X 8.0 mm	13.1 X 8.0 mm.
12.0 X 7.8 "	12.8 X 8.1 "
12.3 X 8.3 "	13.2 X 8.0 "
13.8 X 7.5 "	12.6 X 7.5 "
4 corpora lutea	12.3 X 8.0 "
	11.4 X 7.4 "
	6 corpora lutea

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 567

CONTAINER NO. R37 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 20 1962 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 568

CONTAINER NO. P42 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE MAY 20 1962 SPEEDOMETER

LOCALITY 1/2 mi. S. of Lake Fulmor

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast) 100

MOON - RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 5500

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CHAPARRAL

CHASE FEET

REMARKS: caught by field zool. class

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 569

CONTAINER NO. B74 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE JUN 3 1962 SPEEDOMETER _____

LOCALITY Dark Canyon Campground

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1415 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 6000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 570

CONTAINER NO. W6 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE June 14, 1962 SPEEDOMETER

LOCALITY Warner's Hot Springs

COUNTY San Diego CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 3800

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT chaparral

CHASE FEET

REMARKS: Caught at Chevron station by owner.

LEFT OVIDUCT	RIGHT OVIDUCT.
1. 12.2 × 8.1 mm.	1. 12.0 × 6.8 mm.
2. 13.7 × 7.5 mm.	2. 13.7 × 7.7 mm.
3. 12.8 × 7.4 mm.	3. 13.2 × 7.4 mm.
4. 13.2 × 8.1 mm.	4. 13.1 × 6.9 mm.
5. 13.7 × 8.3 mm.	5. 12.8 × 7.1 mm.
6. 13.1 × 8.4 mm.	6. 13.5 × 7.2 mm.
6 corpora lutea	6 corpora lutea

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 571

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 65

DATE JUN 16 1962 SPEEDOMETER

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 6 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 572

CONTAINER NO. 835 SEX ♂ AGE ad ? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 59

DATE JUN 16 1962 SPEEDOMETER _____

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1320 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT RIPARIAN WOODLAND

CHASE 20 FEET

REMARKS: in shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 573

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE JUN 16 1962 SPEEDOMETER _____

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1335 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in broken shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 574

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE JUN 16 1962 SPEEDOMETER

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1345 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 45 FEET

REMARKS: in shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 575

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 77

DATE JUN 16 1962 SPEEDOMETER

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 576

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE JUN 16 1962 SPEEDOMETER _____

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 35.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT RIPARIAN WOODLAND

CHASE 2 FEET

REMARKS: in shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 577

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE JUN 16 1962 SPEEDOMETER

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 2 FEET

REMARKS: in sun on rock

LEFT OVIDUCT	RIGHT OVIDUCT.
1. 13.5 × 7.2 mm.	1. 13.1 × 8.0 mm
2. 12.5 × 8.0 mm.	2. 12.3 × 8.7 mm.
3. 13.4 × 8.0 mm.	3. 13.5 × 8.6
4. 12.9 × 8.4 mm.	
3 C.L.	4. C.L.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 578

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE JUN 16 1962 SPEEDOMETER _____

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in sun on rock

LEFT OVIDUCT	RIGHT OVIDUCT
1. 13.1 x 8.0 mm.	1. 14.0 x 7.7 mm.
2. 14.1 x 7.2 mm.	2. 14.1 x 7.7 mm.
3. 14.3 x 7.5 mm.	3. 13.5 x 7.5 mm.
	4. 15.0 x 8.1 mm.
3 C.L.	3 C.L.

BLASTODISKS 4.5 mm in diameter.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 579

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE JUN 16 1962 SPEEDOMETER _____

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1440 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 580

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUN 16 1962 SPEEDOMETER

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1505 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 1 FEET

REMARKS: in sun on rock

LEFT OVIDUCT	RIGHT OVIDUCT
1. 14.0 × 7.5 mm.	1. 14.3 × 8.3 mm.
2. 13.5 × 7.8 mm.	2. 14.0 × 7.8 mm.
3. 13.5 × 7.5 mm.	3. 13.7 × 6.9 mm.
4. 13.2 × 6.9 mm.	4. 14.1 × 7.2 mm.
4 C.L.	4.C.L.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 581

CONTAINER NO. 012 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE JUN 17 1962 SPEEDOMETER _____

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0920 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT RIPARIAN WOODLAND

CHASE 10 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 582

CONTAINER NO. 012 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUN 17 1962 SPEEDOMETER

LOCALITY Deep Creek Campground

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 3000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 5 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 583

CONTAINER NO. — SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE JUN 24 1962 SPEEDOMETER _____

LOCALITY Mill Creek Canyon

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0940 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT RIPARIAN WOODLAND

CHASE _____ FEET

REMARKS: Caught by Ken Evans

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 584

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE JUN 24 1962 SPEEDOMETER _____

LOCALITY Mill Creek Canyon

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0928 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 3500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 32.8 °C

HABITAT RIPARIAN WOODLAND

CHASE _____ FEET

REMARKS: Caught by Ken Evans

Left oviduct	Right oviduct
13.2 X 7.4 mm.	12.2 X 7.7 mm.
13.4 X 7.2 "	12.3 X 7.8 "
14.3 X 7.2 "	12.5 X 7.5 "
13.8 X 7.5 "	12.8 X 7.5 "
14.0 X 7.5 "	13.2 X 7.2 "
5 corpora lutea	5 corpora lutea
	1 blastodisc was 6.8 mm. long.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 585

CONTAINER NO. R14 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE JUN 26 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 7386

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 1 FEET

REMARKS: in sun on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 586

CONTAINER NO. R46 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Wrightwood

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 6000

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 2 FEET

REMARKS: in sun on power pole

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 587

CONTAINER NO. R46 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Blue Ridge

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1415 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION sw ALTITUDE(ft) 7300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 588

CONTAINER NO. R3 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE JUN 27 1962 SPEEDOMETER _____

LOCALITY Crystal Lake

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1545 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 5100

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 589

CONTAINER NO. W1 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Crystal Lake

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1625 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 5250

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 0 FEET

REMARKS: in sun on ground

LEFT OVIDUCT	RIGHT OVIDUCT
1. 12.8 × 7.5 mm.	1. 13.5 × 8.0 mm.
2. 13.1 × 8.0 mm	2. 13.5 × 8.0 mm.
3. 12.5 × 8.3 mm.	3. 13.5 × 7.2 mm.
4. 13.7 × 8.1 mm.	4. 13.5 × 7.8 mm.
5. 14.0 × 7.4 mm.	
3 C.L.	6 C.L.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 590

CONTAINER NO. W12 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Crystal Lake

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1635 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 5 000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 10 FEET

REMARKS: on road

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 591

CONTAINER NO. R50 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Crystal Lake

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1715 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 5250

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 30 FEET

REMARKS: in shade on ground

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 592

CONTAINER NO. R50 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE JUN 27 1962 SPEEDOMETER

LOCALITY Crystal Lake

COUNTY LOS ANGELES CALIFORNIA

STANDARD TIME 1715 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 5250

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT YELLOW PINE FOREST

CHASE 20 FEET

REMARKS: in shade on rock

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 593

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUN 29 1962 SPEEDOMETER

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 594

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUN 29 1962 SPEEDOMETER

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0815 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 34.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 10 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 595

CONTAINER NO. R9 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 62

DATE JUN 29 1962 SPEEDOMETER

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in sun on rock

LEFT OVIDUCT	RIGHT OVIDUCT
1. 13.8 × 8.1 mm.	1. 12.2 × 8.3
2. 13.1 × 6.8 mm.	2. 12.5 × 7.7
3. 12.0 × 7.2 mm.	3. Ruptured
	4. 12.2 × 8.0
3 C.L.	4 C.L.

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 596

CONTAINER NO. R9 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUN 29 1962 SPEEDOMETER

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 36.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 597

CONTAINER NO. R22 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 74

DATE JUN 29 1962 SPEEDOMETER

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0815 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 598

CONTAINER NO. R22 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE JUN 29 1962 SPEEDOMETER

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 5 FEET

REMARKS: in shade on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 599

CONTAINER NO. R22 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE JUN 29 1962 SPEEDOMETER

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0820 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 35.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 5 FEET

REMARKS: in sun on log

SPECIES SCELOPORUS OCCIDENTALIS TAG NO. 600

CONTAINER NO. R22 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE JUN 29 1962 SPEEDOMETER

LOCALITY RIVERSIDE (Santa Ana River)

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 850

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 32.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT RIPARIAN WOODLAND

CHASE 0 FEET

REMARKS: in shade in crack in a log

TAG NO. _____

SEX _____ AGE _____ TOE CLIP# _____

SNOUT-VENT LENGTH(mm) _____

SPEEDOMETER _____

CALIFORNIA _____

CLOUDS(% overcast) _____

RELATIVE HUMIDITY(%) _____

ALTITUDE(ft) _____

ROAD TEMP. _____ °C

°C AIR TEMP(1 cm) _____ °C

°C CLOACAL TEMP _____ °C

°C SUBSTRATE TEMP _____ °C

R-351

STEEL BACKPLATE

S. E. & M. VERNON, INC.

U. S. A.